



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

## 1 Identification

- **Product identifier**
- **Trade name:** White Triple Coat
- **Article number:** DAC 203
- **Recommended use and restriction on use**
- **Recommended use:** Metal surface treatment
- **Restrictions on use:** Contact manufacturer
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
DAC Industries, Inc.  
1636 Gervais Avenue Suite 9  
Maplewood, MN 55109  
Phone: (651) 748-1750
- **Emergency telephone number:**  
ChemTel Inc.  
+1 (800)255-3924, +1 (813)248-0585

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 GHS04 Flame, Gas cylinder

Flam. Aerosol 1 H222 Extremely flammable aerosol.



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



GHS08 Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 2 H373 May cause damage to the nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- **Additional information:**

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Cont'd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

Trade name: White Triple Coat

(Cont'd. of page 1)

## · Hazard pictograms:



GHS02 GHS04 GHS07 GHS08

## · Signal word: Danger

## · Hazard-determining components of labeling:

n-hexane

## · Hazard statements:

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to the nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

H304 May be fatal if swallowed and enters airways.

## · Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P251 Do not pierce or burn, even after use.

P260 Do not breathe mist/vapors/spray.

P211 Do not spray on an open flame or other ignition source.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P331 Do NOT induce vomiting.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P412 Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## · Classification system

## · NFPA ratings (scale 0 - 4)



Health = 2

Fire = 4

Reactivity = 0

## · HMIS-ratings (scale 0 - 4)



Health = \*2

Fire = 4

Reactivity = 1

(Cont'd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

Trade name: White Triple Coat

(Cont'd. of page 2)

\* - Indicates a long term health hazard from repeated or prolonged exposures.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

68476-86-8	Petroleum gases, liquefied, (Nota K, -R45, R46, <0.1% 1,3-butadiene buta-1,3-diene) ⚠ Flam. Gas 1, H220 ⚠ Press. Gas, H280	80-90%
110-54-3	n-hexane ⚠ Flam. Liq. 2, H225 ⚠ Repr. 2, H361; STOT RE 2, H373; Asp. Tox. 1, H304 ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	<10%
64742-89-8	Solvent naphtha (petroleum), light aliph. ⚠ Asp. Tox. 1, H304	<10%
	mineral oils ⚠ Asp. Tox. 1, H304	<10%
	barium alkyl naphthalenesulfonates ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	<10%

- **Additional information:**

For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret.  
 For the wording of the listed Hazard Statements refer to section 16.

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
 Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.  
 Take affected persons out into the fresh air.
- **After inhalation:**  
 Supply fresh air.  
 Seek immediate medical advice.  
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
 Immediately wash with water and soap and rinse thoroughly.  
 If skin irritation continues, consult a doctor.
- **After eye contact:**  
 Remove contact lenses if worn.  
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
 Unlikely route of exposure.  
 A person vomiting while lying on their back should be turned onto their side.  
 Rinse out mouth and then drink plenty of water.

(Cont'd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

**Trade name: White Triple Coat**

(Cont'd. of page 3)

Do not induce vomiting; immediately call for medical help.

- **Information for doctor**

- **Most important symptoms and effects, both acute and delayed:**

Breathing difficulty

Dizziness

Coughing

Irritant to skin and mucous membranes.

Gastric or intestinal disorders when ingested.

- **Danger:**

Suspected of damaging fertility or the unborn child.

Danger of impaired breathing.

May be fatal if swallowed and enters airways.

May cause damage to the nervous system through prolonged or repeated exposure. Route of exposure:

Inhalation.

- **Indication of any immediate medical attention and special treatment needed:**

If swallowed or in case of vomiting, danger of entering the lungs.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

If medical advice is needed, have product container or label at hand.

## 5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

Foam

Gaseous extinguishing agents

Fire-extinguishing powder

Water fog / haze

- **For safety reasons unsuitable extinguishing agents:** Water stream.

- **Special hazards arising from the substance or mixture**

Danger of receptacles bursting because of high vapor pressure if heated.

Formation of toxic gases is possible during heating or in case of fire.

- **Advice for firefighters**

- **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

- **Additional information:**

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water fog.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

(Cont'd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

**Trade name: White Triple Coat**

(Cont'd. of page 4)

Keep away from ignition sources.

Protect from heat.

· **Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· **Methods and material for containment and cleaning up:**

Absorb liquid components with liquid-binding material.

Pick up mechanically.

Do not flush with water or aqueous cleansing agents

· **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Avoid splashes or spray in enclosed areas.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Use only in well ventilated areas.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Emergency cooling must be available in case of nearby fire.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

Provide ventilation for receptacles.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidizing agents.

· **Further information about storage conditions:**

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· **Specific end use(s):** No relevant information available.

## 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

(Cont'd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

Trade name: White Triple Coat

(Cont'd. of page 5)

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**110-54-3 n-hexane**

PEL (USA)	Long-term value: 1800 mg/m <sup>3</sup> , 500 ppm
REL (USA)	Long-term value: 180 mg/m <sup>3</sup> , 50 ppm
TLV (USA)	Long-term value: 176 mg/m <sup>3</sup> , 50 ppm Skin; BEI
EL (Canada)	Long-term value: 20 ppm Skin
EV (Canada)	Long-term value: 176 mg/m <sup>3</sup> , 50 ppm
LMPE (Mexico)	Long-term value: 50 ppm PIEL, IBE

- **Ingredients with biological limit values:**

**110-54-3 n-hexane**

BEI (USA)	0.4 mg/L Medium: urine Time: end of shift at end of workweek Parameter: 2.5-Hexanedione without hydrolysis
-----------	---

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- **Engineering controls:** Provide adequate ventilation.

- **Breathing equipment:**

Suitable respiratory protective device recommended.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Eye protection:**



Safety glasses

Follow OSHA or EU guidelines concerning the use of protective eyewear.

- **Body protection:** Protective work clothing

(Cont'd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

Trade name: White Triple Coat

(Cont'd. of page 6)

· **Limitation and supervision of exposure into the environment** No relevant information available.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General information

#### · Appearance:

Form: Aerosol

Color: White

· Odor: Solvent-like

· Odor threshold: Not determined.

· pH-value: Not determined.

#### · Change in condition:

Melting point/Melting range: Not applicable, as aerosol.

Boiling point/Boiling range: Not applicable, as aerosol.

· Flash point: -104.4 °C (-156 °F) (Propellant)

· Flammability (solid, gaseous): Not applicable.

· Auto-ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not self-igniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

#### · Explosion limits:

Lower: Not determined.

Upper: Not determined.

· Oxidizing properties: Not determined.

· Vapor pressure: Not determined.

· Density at 20 °C (68 °F): 0.626 g/cm<sup>3</sup> (5.224 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not applicable.

#### · Solubility in / Miscibility with:

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water) at 20 °C (68 °F): >1.0 log POW (Estimate)

#### · Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

VOC content: 87.8 Vol %

(Cont'd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

Trade name: White Triple Coat

(Cont'd. of page 7)

· **Other information**

No relevant information available.

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
Danger of receptacles bursting because of high vapor pressure if heated.
- **Possibility of hazardous reactions:**  
Develops readily flammable gases / fumes.  
Extremely flammable aerosol.  
Used empty containers may contain product gases which form explosive mixtures with air.  
Reacts violently with oxidizing agents.  
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid:**  
Keep ignition sources away - Do not smoke.  
Store away from oxidizing agents.
- **Incompatible materials:** No relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable route(s) of exposure:**

Inhalation.  
Eye contact.  
Skin contact.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Repr. 2

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

(Cont'd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

**Trade name: White Triple Coat**

(Cont'd. of page 8)

- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Suspected of damaging fertility or the unborn child.
- **STOT-single exposure:** May cause drowsiness or dizziness.
- **STOT-repeated exposure:**  
May cause damage to the nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.
- **Aspiration hazard:** May be fatal if swallowed and enters airways.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** Toxic for aquatic organisms
- **Persistence and degradability:** No relevant information available.
- **Behavior in environmental systems**
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.
- **Other adverse effects:** No relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN1950

- **UN proper shipping name**



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal).

- **DOT** Aerosols

(Cont'd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

Trade name: White Triple Coat

(Cont'd. of page 9)

<ul style="list-style-type: none"> <li>· ADR</li> <li>· IMDG</li> <li>· IATA</li> </ul>	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS AEROSOLS, MARINE POLLUTANT Aerosols, flammable
---	---

· Transport hazard class(es)

· DOT



- Class
- Label

2.1  
2.1

· ADR



- Class
- Label

2 5F Gases  
2.1

· IMDG



- Class
- Label

2.1  
2.1

· IATA



- Class
- Label

2.1  
2.1

· Packing group

Aerosols are not assigned a packing group.

· Environmental hazards

Product contains environmentally hazardous substances:  
heptane

· Marine pollutant:

Symbol (fish and tree)

· Special precautions for user

Warning: Gases

· Danger code (Kemler):

-

· EMS Number:

F-D,S-U

· Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code

Not applicable.

(Cont'd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

Trade name: White Triple Coat

(Cont'd. of page 10)

· UN "Model Regulation"

UN 1950 AEROSOLS, 2.1

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

### · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

### · Section 304 (emergency release notification):

None of the ingredients are listed.

### · Sections 311/312 (hazardous chemical threshold planning quantity in pounds):

None of the ingredients are listed.

### · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

### · Section 313 (Specific toxic chemical listings):

110-54-3 | n-hexane

### · TSCA (Toxic Substances Control Act)

All ingredients are listed.

### · Proposition 65 (California)

#### · Chemicals known to cause cancer:

None of the ingredients are listed.

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### · Carcinogenic categories

#### · EPA (Environmental Protection Agency):

110-54-3 | n-hexane

II

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

#### · Canadian substance listings

#### · Canadian Domestic Substances List (DSL):

Contact manufacturer.

(Cont'd. on page 12)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/15/2015

Reviewed on 12/15/2015

<b>Trade name: White Triple Coat</b>
--------------------------------------

(Cont'd. of page 11)

<b>· Canadian Ingredient Disclosure list (limit 0.1%):</b>
--

None of the ingredients are listed.
-------------------------------------

<b>· Canadian Ingredient Disclosure list (limit 1%):</b>
--

110-54-3   n-hexane
---------------------

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 12/15/2015 / -

· **Abbreviations and acronyms:**

Flam. Gas 1: Flammable gases, Hazard Category 1

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1

Press. Gas: Gases under pressure: Compressed gas

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Repr. 2: Reproductive toxicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

· **Sources**

Website, European Chemicals Agency ([http://http://echa.europa.eu/](http://echa.europa.eu/))

Website, US EPA Substance Registry Services ([http://http://ofmpub.epa.gov/sor\\_internet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sor_internet/registry/substreg/home/overview/home.do))

Website, Chemical Abstracts Registry, American Chemical Society (<https://www.cas.org>)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)