

1. Identification

Product name: Heavy Duty Paintable Mold Release
Product code: DAC-30612
Recommended use: Mold Release Agent
Restrictions on use: None known
Supplier: DAC Industries, Inc.
 1636 Gervais Avenue - Suite 9
 Maplewood, MN 55109, USA
 T +1 (651) 748-1750

Emergency number: (Chemical Spills, Leaks, Fire, Exposure or Accident only):
 CHEMTREC 1-800-424-9300 (in the US),
 1-703-527-3887 (Outside the US)
 Chemtrec - Mexico 01-800-681-9531

Issue date: 03/27/2023

2. Hazard(s) identification

Classification:

Physical hazards	Health hazards
Flammable aerosol Category 1 Gases under pressure Compressed gas	Skin corrosion/irritation Category 2 Reproductive toxicity Category 2 Specific target organ toxicity – Single exposure, Category 3, Narcosis Specific target organ toxicity (repeated exposure) Category 2 Aspiration hazard Category 1

GHS US labeling:

Danger!



Hazard statements (GHS US)	Precautionary statements (GHS US)
H222 - Extremely flammable aerosol H280 - Contains gas under pressure; may explode if heated H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H336 - May cause drowsiness or dizziness H361 - Suspected of damaging fertility or the unborn child H373 - May cause damage to organs (Neurologic effect, hearing sense) through prolonged or repeated exposure	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Pressurized container: Do not pierce or burn, even

(Inhalation)	<p>after use.</p> <p>P260 - Do not breathe mist, vapors.</p> <p>P264 - Wash hands thoroughly after handling.</p> <p>P271 - Use only outdoors or in a well-ventilated area.</p> <p>P280 - Wear protective gloves, eye protection.</p> <p>P301+P310 - If swallowed: Immediately call a poison center or doctor.</p> <p>P331 - Do NOT induce vomiting.</p> <p>P302+P352 - If on skin: Wash with plenty of soap and water.</p> <p>P332+P313 - If skin irritation occurs: Get medical advice/attention.</p> <p>P362+P364 - Take off contaminated clothing and wash it before reuse.</p> <p>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.</p> <p>P312 - Call a poison center or doctor if you feel unwell.</p> <p>P308+P313 - If exposed or concerned: Get medical advice/attention.</p> <p>P403 - Store in a well-ventilated place.</p> <p>P405 - Store locked up.</p> <p>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</p> <p>P501 - Dispose of contents/container to an approved waste disposal plant.</p>
--------------	---

3: Composition/Information on ingredients

Component	CAS-No.	Amount (%)
Heptane, branched, cyclic and linear	426260-76-6	10-15
Isobutane	75-28-5	70-75
heptane, n-heptane	142-82-5	<3
Propane	74-98-6	10-15
Propan-2-ol, isopropyl alcohol, isopropanol	67-63-0	<1
Toluene	108-88-3	<1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

4. First-aid measures

Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

Skin: Wash skin with plenty of water and soap. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.

Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Aspiration hazard. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

Symptoms/effects: May cause minor eye irritation. Causes skin irritation. May cause drowsiness or dizziness. Aspiration hazard. May be fatal if swallowed and enters airways. May cause damage to organs (hearing sense, Neurologic effect.) through prolonged or repeated exposure (inhalation). Suspected of damaging fertility or the unborn child.

Immediate medical attention and special treatment, if necessary: If accidentally swallowed obtain immediate medical attention.

5. Fire-fighting measures

Suitable extinguishing media: Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide. Cool down the containers exposed to heat with a water spray.

Unsuitable extinguishing media: None.

Fire hazard: Extremely flammable aerosol. Keep away from open flames, hot surfaces and sources of ignition. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors. Contents under pressure. Pressurized container: may burst if heated.

Special protective equipment and precautions for fire-fighters: Use shielding to protect from bursting cans. Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe aerosol. Avoid contact with eyes, skin and clothing.

Methods and material for containment and cleaning up: Collect spillage. Leaking cans should be placed in a plastic bag or open pail until the pressure has dissipated. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of materials or solid residues at an authorized site.

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13 : "Disposal considerations".

7. Handling and storage

Precautions for safe handling: Do not handle until all safety precautions have been read and understood. Ensure adequate ventilation. Do not breathe aerosol. Avoid contact with eyes, skin and clothing. Use personal protective equipment as required. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Handle in accordance with good industrial hygiene and safety procedures.

Storage conditions: Do not expose to temperatures exceeding 50 °C/ 122 °F. Protect from sunlight. Store in a well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. U.F.C. (NFPA 30B) Level III Aerosol.

8. Exposure controls/personal protection

Exposure guidelines:	
Isobutane	1000 ppm (EX - Explosion hazard) STEL ACGIH TLV;
Propane	1800 mg/m ³ TWA OSHA PEL; 1000 ppm TWA OSHA PEL;
Propan-2-ol, isopropyl alcohol, isopropanol	980 mg/m ³ TWA OSHA PEL; 400 ppm TWA OSHA PEL; 200 ppm TWA ACGIH TLV; 400 ppm STEL ACGIH TLV;
Toluene	200 ppm TWA OSHA PEL; 300 ppm Ceiling OSHA; 20 ppm TWA ACGIH TLV;
Heptane, branched, cyclic and linear	None established.
heptane, n-heptane	2000 mg/m ³ TWA OSHA PEL; 500 ppm TWA OSHA PEL; 400 ppm TWA ACGIH TLV; 500 ppm STEL ACGIH TLV;

Appropriate engineering controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Environmental exposure controls: Do not allow product to spread into the environment.

Personal protective equipment:

Hand protection: Wear suitable gloves resistant to chemical penetration

Eye protection: Use suitable eye protection

Skin and body protection: Wear suitable protective clothing

Respiratory protection: No respiratory protection needed under normal use conditions. In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

9. Physical and chemical properties

Appearance: Aerosol spray can.

Physical state	: Liquid	Partition coefficient n-octanol/water (Log Pow)	: No data available
Color	: Colorless	Auto-ignition temperature	: No data available
Odor	: Mild odor	Decomposition temperature	: No data available
Odor threshold	: No data available	Viscosity, kinematic	: No data available
pH	: No data available	Viscosity, dynamic	: No data available
Melting point	: No data available	Explosion limits	: Lower explosion limit: 1 vol % Upper explosion limit: 15 vol %
Freezing point	: No data available	Explosive properties	: No data available
Boiling point	: > -42 °C (-43.6 °F)	Oxidizing properties	: Not oxidising.
Flash point	: < -104 °C (-155.2 °F)		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability	: Extremely flammable aerosol.		
Vapor pressure	: 8300 hPa		
Relative vapor density at 20°C	: No data available		
Relative density	: No data available		
Solubility	: Not miscible.		

No additional information available

10. Stability and reactivity

Reactivity: Extremely flammable aerosol.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: No dangerous reactions known under normal conditions of use.

Conditions to avoid: Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

Incompatible materials: Strong oxidizing agents. Acids. Strong bases. Strong reducing agents.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Inhalation: Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.

Skin: Causes skin irritation.

Eyes: May cause minor eye irritation.

Ingestion: Aspiration hazard. May be fatal if swallowed and enters airways. Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

Chronic symptoms: May cause damage to organs (Neurologic effect, hearing sense) through prolonged or repeated exposure (Inhalation). Suspected of damaging fertility or the unborn child.

Carcinogenicity:	Not classified (This product does not contain any component that is considered a carcinogen by IARC, ACGIH, OSHA or NTP.)
Propan-2-ol, isopropyl alcohol, isopropanol:	IARC 3 - Not classifiable;
Toluene:	IARC 3 - Not classifiable;
Germ cell mutagenicity:	Not classified
Reproductive toxicity:	Suspected of damaging fertility or the unborn child.
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Numerical measures of toxicity:

The following are the toxicity values for the components:

Isobutane	> 20000 ppm/4h LC50 Inhalation - Rat [ppm]
Propane	> 20000 ppm/4h LC50 Inhalation - Rat [ppm]
Propan-2-ol, isopropyl alcohol, isopropanol	5840 mg/kg LD50 oral rat; 16.4 ml/kg LD50 dermal rabbit; 1666.66 ppm/1h LC50 Inhalation - Rat [ppm]
Toluene	5580 mg/kg LD50 oral rat; > 5000 mg/kg LD50 dermal rabbit; 28.1 mg/l/4h LC50 Inhalation - Rat
Heptane, branched, cyclic and linear	No data available
heptane, n-heptane	> 5000 mg/kg LD50 oral rat; > 2000 mg/kg LD50 dermal rabbit; > 29300 mg/m ³ LC50 Inhalation - Rat
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure	May cause damage to organs (Neurologic effect, hearing sense) through prolonged or repeated exposure (Inhalation).
Aspiration hazard	May be fatal if swallowed and enters airways.

12. Ecological information

Ecology - general: Very toxic to aquatic life with long lasting effects.

Ecotoxicity:

Propan-2-ol, isopropyl alcohol, isopropanol	10000 mg/l Pimephales promelas (Fathead minnow) LC50 - Fish; 9640 mg/l Pimephales promelas (Fathead minnow) LC50 - Fish; > 10000 mg/l EC50 - Crustacea; 3.37 mg/l NOEC chronic crustacea
Toluene	5.5 mg/l Oncorhynchus kisutch LC50 - Fish; 7.63 mg/l Oncorhynchus mykiss (Rainbow trout) LC50 - Fish; 3.78 mg/l EC50 - Crustacea; 10 mg/l EC50 72h - Algae; 0.74 mg/l Ceriodaphnia dubia Duration: '7 d' NOEC (chronic); 1.39 mg/l Oncorhynchus kisutch Duration: '40 d' NOEC chronic fish; 0.74 mg/l NOEC chronic crustacea
heptane, n-heptane	3.9 mg/l EC50 - Crustacea; 0.17 mg/l Daphnia magna Duration: '21 d' NOEC (chronic)

Persistence and degradability: No data available
Propan-2-ol, isopropyl alcohol, isopropanol: Readily biodegradable.

Bioaccumulative potential: No data available
Propan-2-ol, isopropyl alcohol, isopropanol: BCF Fish - 3; Log KOW0.05

Mobility in soil: No data available

Other adverse effects:

No data available

13. Disposal considerations

Regional legislation (waste): Dispose of in accordance with applicable federal, state, and local regulations.

Additional information: Empty containers retain product residue and can be hazardous.

14. Transport information

Department of Transportation (DOT)

Proper Shipping Name (DOT)	: Aerosols
UN-No.(DOT)	: UN1950
Class (DOT)	: 2.1
Packing group (DOT)	: Not applicable
Hazard labels (DOT)	: Flammable gas
Dangerous for the environment	: Yes

Transport by sea

Proper Shipping Name (IMDG) : AEROSOLS
UN-No. (IMDG) : 1950
Class (IMDG) : 2.1
Packing group (IMDG) : Not applicable
Marine pollutant : Yes

Air transport

Proper Shipping Name (IATA) : Aerosols, flammable
UN-No. (IATA) : 1950
Class (IATA) : 2.1
Packing group (IATA) : Not applicable

15. Regulatory information

SARA Section 313 - Emission Reporting: Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Toluene	108-88-3	<1%
---------	----------	-----

CERCLA Section 103:


Toluene	108-88-3	1000 lb
---------	----------	---------

SARA 302:

Not applicable

SARA Section 311/312 Hazard Classes: Refer to Section 2 for OSHA Hazard Classification.

California Proposition 65:

 **WARNING:** This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

TSCA: All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

16. Other information

Issue date : 03/27/2023

Indication of changes:

new version.

NOTICE

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or the consequences of its use or misuse.